

APPENDIX H

NOISE MONITORING DATA

NOISE MONITORING DATA

NML #1: **Parcel 9 - Casino Main Entrance**
 Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/12/2006 04:00:00 PM
 End Time: 05/13/2006 03:41:19 PM
 Elapsed Time: 23:41:19
 Bandwidth: Broad band
 Detector 1/2 RMS Peak
 Range: 40.0-120.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2498697
 Microphone Serial Number: 2428645
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/09/2006 07:59:54 AM
 Calibration Level: 93.8 dB
 Sensitivity: -30.2 dB
 Microphone: 2428645

Start date	Start time	LAeq	LASmin	LASmax
05/12/2006	04:00:00 PM	68.5	57.3	87.6
05/12/2006	04:30:00 PM	67.8	55.7	79
05/12/2006	05:00:00 PM	68.3	56.2	86.9
05/12/2006	05:30:00 PM	66.9	57.8	80.9
05/12/2006	06:00:00 PM	67.1	56.6	77.5
05/12/2006	06:30:00 PM	66.8	56.6	80.2
05/12/2006	07:00:00 PM	65.9	54.7	76.4
05/12/2006	07:30:00 PM	66.3	54	80.1
05/12/2006	08:00:00 PM	65.6	55	77.1
05/12/2006	08:30:00 PM	65.3	53.3	78.9
05/12/2006	09:00:00 PM	65.2	53.2	76.2
05/12/2006	09:30:00 PM	65.2	54.2	81.9
05/12/2006	10:00:00 PM	66	54.9	78.7
05/12/2006	10:30:00 PM	65.2	52.5	74.2
05/12/2006	11:00:00 PM	66.3	53.8	83.5
05/12/2006	11:30:00 PM	64.8	52.9	78.2
05/13/2006	12:00:00 AM	66	52.9	76.9
05/13/2006	12:30:00 AM	64.3	50.9	80.6
05/13/2006	01:00:00 AM	64.7	50.3	86.8
05/13/2006	01:30:00 AM	62.5	48.7	71.4
05/13/2006	02:00:00 AM	62.7	48.1	72.8
05/13/2006	02:30:00 AM	60.4	45.9	72.1
05/13/2006	03:00:00 AM	61.5	46.7	76.8
05/13/2006	03:30:00 AM	62.3	46.1	83.2
05/13/2006	04:00:00 AM	61	46.7	77.5

05/13/2006	04:30:00 AM	61	46.2	78.9
05/13/2006	05:00:00 AM	60.5	46.8	73.4
05/13/2006	05:30:00 AM	63.4	48.2	78.1
05/13/2006	06:00:00 AM	63.7	48.8	82.4
05/13/2006	06:30:00 AM	64.2	47.3	75.3
05/13/2006	07:00:00 AM	64.9	50.3	80.2
05/13/2006	07:30:00 AM	65.4	52	78.6
05/13/2006	08:00:00 AM	66.1	53	77.5
05/13/2006	08:30:00 AM	65.6	51.5	78.2
05/13/2006	09:00:00 AM	66.1	51.1	77
05/13/2006	09:30:00 AM	67.6	48.7	89.9
05/13/2006	10:00:00 AM	67.3	51.4	84
05/13/2006	10:30:00 AM	65.6	51.9	79.1
05/13/2006	11:00:00 AM	65.1	52.1	81.4
05/13/2006	11:30:00 AM	64.9	53.3	76.6
05/13/2006	12:00:00 PM	65.7	52.7	82.8
05/13/2006	12:30:00 PM	64.7	52.2	80.7
05/13/2006	01:00:00 PM	63.1	52.9	75.6
05/13/2006	01:30:00 PM	64.2	52.1	77.4
05/13/2006	02:00:00 PM	64.1	53.1	82.4
05/13/2006	02:30:00 PM	64.2	52.4	77.9
05/13/2006	03:00:00 PM	65.5	54.6	85
05/13/2006	03:30:00 PM	64.8	53	77.1

NML #2:

Parcels 9/10 - Casino Entrance on Patrick Road near Golf Dome (1 of 2)

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/12/2006 04:00:00 PM
 End Time: 05/13/2006 04:57:44 AM
 Elapsed Time: 12:57:44
 Bandwidth: Broad band
 Detector 1/2 Range: RMS Peak
 30.0-110.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2343948
 Microphone Serial Number: 2304155
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 02:19:47 PM
 Calibration Level: 93.8 dB
 Sensitivity: -31.5 dB
 Microphone: 2304155

Start date	Start time	LAeq	LASmin	LASmax
05/12/2006	04:00:00 PM	65.2	51.8	78.6
05/12/2006	04:30:00 PM	64	52.5	78
05/12/2006	05:00:00 PM	64.2	50.8	79.1
05/12/2006	05:30:00 PM	68.2	51.8	92.7
05/12/2006	06:00:00 PM	63.9	51.3	78.5
05/12/2006	06:30:00 PM	62.8	48.1	76.8
05/12/2006	07:00:00 PM	61.7	48.6	75.6
05/12/2006	07:30:00 PM	62.3	49.4	77.4
05/12/2006	08:00:00 PM	61.2	49.5	77.2
05/12/2006	08:30:00 PM	62.2	48.7	80.6
05/12/2006	09:00:00 PM	61.5	49.8	75.5
05/12/2006	09:30:00 PM	61	48.3	74.2
05/12/2006	10:00:00 PM	62	48.6	77.2
05/12/2006	10:30:00 PM	62.2	48.6	79
05/12/2006	11:00:00 PM	61.7	47.9	80.7
05/12/2006	11:30:00 PM	61.9	47.2	79.5
05/13/2006	12:00:00 AM	61.8	46.8	78.6
05/13/2006	12:30:00 AM	59.6	46.6	74.6
05/13/2006	01:00:00 AM	60.4	46.9	77.6
05/13/2006	01:30:00 AM	60.1	45.8	75.9
05/13/2006	02:00:00 AM	60.7	45.9	75.6
05/13/2006	02:30:00 AM	59.4	45.6	78.4
05/13/2006	03:00:00 AM	58.2	44	77.4
05/13/2006	03:30:00 AM	57	44.9	73.3

05/13/2006	04:00:00 AM	57.8	44.5	78.3
05/13/2006	04:30:00 AM	60.3	44.5	81

Measurement discontinued due to low power supply.

NML #2: **Parcels 9/10 - Casino Entrance on Patrick Road near Golf Dome** (2 of 2)
 Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/16/2006 11:30:06 PM
 End Time: 05/17/2006 02:30:06 PM
 Elapsed Time: 14:30:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 30-110 dB

RMS	Time	Frequency		
Peak	Slow	A		
		C		
Start date	Start time	LAeq	LAS10	LAS90
05/16/2006	11:30:06 PM	63.6	64	49
05/17/2006	12:00:06 AM	64.2	65.5	51
05/17/2006	12:30:06 AM	62.3	63	46.5
05/17/2006	01:00:06 AM	62	62.5	47.5
05/17/2006	01:30:06 AM	62.6	63	46
05/17/2006	02:00:06 AM	63.6	63.5	45.5
05/17/2006	02:30:06 AM	61	62	45
05/17/2006	03:00:06 AM	62.8	62.5	46
05/17/2006	03:30:06 AM	62.4	63	45.5
05/17/2006	04:00:06 AM	61.2	62.5	46.5
05/17/2006	04:30:06 AM	62.2	61.5	45.5
05/17/2006	05:00:06 AM	62.5	63.5	46.5
05/17/2006	05:30:06 AM	63.5	65.5	48
05/17/2006	06:00:06 AM	64	66.5	49
05/17/2006	06:30:06 AM	63.6	67.5	49.5
05/17/2006	07:00:06 AM	64.9	68.5	52
05/17/2006	07:30:06 AM	65.8	69	54
05/17/2006	08:00:06 AM	65.8	69	53.5
05/17/2006	08:30:06 AM	64.3	68	52
05/17/2006	09:00:06 AM	63	66	53
05/17/2006	09:30:06 AM	64.1	68	53
05/17/2006	10:00:06 AM	62	65.5	51
05/17/2006	10:30:06 AM	62.5	66	50.5
05/17/2006	11:00:06 AM	63.6	67	52
05/17/2006	11:30:06 AM	63.7	67	54
05/17/2006	12:00:06 PM	64.7	68.5	53.5
05/17/2006	12:30:06 PM	63.3	67	50
05/17/2006	01:00:06 PM	62.8	66.5	50.5
05/17/2006	01:30:06 PM	62.5	66	50.5
05/17/2006	02:00:06 PM	64.3	67.5	53

Measurement discontinued due to heavy rain.

NML #3:

Parcels 9/10 - Casino Valet Parking Lot/SavOn Gas Station and Convenience Store at Route 365 and Patrick Road

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/12/2006 04:00:00 PM
 End Time: 05/13/2006 03:32:13 PM
 Elapsed Time: 23:32:13
 Bandwidth: Broad band
 Detector 1/2 Range: RMS Peak
 30.0-110.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2457146
 Microphone Serial Number: 2499615
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 02:23:40 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.7 dB
 Microphone: 2499615

Start date	Start time	LAeq	LASmax	LASmin
05/12/2006	04:00:00 PM	62.8	74.3	54.7
05/12/2006	04:30:00 PM	63	71.9	55.1
05/12/2006	05:00:00 PM	63.7	84.9	55.2
05/12/2006	05:30:00 PM	66.4	89.9	54.5
05/12/2006	06:00:00 PM	62.8	75.4	55.4
05/12/2006	06:30:00 PM	61.1	70.3	51.9
05/12/2006	07:00:00 PM	60.2	74	51.9
05/12/2006	07:30:00 PM	61.3	72.6	52.5
05/12/2006	08:00:00 PM	60.8	70.4	52.6
05/12/2006	08:30:00 PM	60.6	76.8	52.1
05/12/2006	09:00:00 PM	60.2	71.7	50.7
05/12/2006	09:30:00 PM	59.9	72.9	51.9
05/12/2006	10:00:00 PM	59.6	72.8	51.6
05/12/2006	10:30:00 PM	61.3	82.7	51.8
05/12/2006	11:00:00 PM	60	70.3	49
05/12/2006	11:30:00 PM	59.2	68.4	50.2
05/13/2006	12:00:00 AM	60.7	81.5	49.7
05/13/2006	12:30:00 AM	58.7	72.8	47.6
05/13/2006	01:00:00 AM	57.7	67.3	48.2
05/13/2006	01:30:00 AM	57.5	67.2	48.1
05/13/2006	02:00:00 AM	57.5	70.3	45.9
05/13/2006	02:30:00 AM	54.7	63.9	46.8
05/13/2006	03:00:00 AM	55.7	70.1	45.1
05/13/2006	03:30:00 AM	54.5	67.9	45.3

05/13/2006	04:00:00 AM	54.4	70.2	45.3
05/13/2006	04:30:00 AM	56.9	73.4	44.8
05/13/2006	05:00:00 AM	54.9	71.7	44.5
05/13/2006	05:30:00 AM	56.9	71.5	46.1
05/13/2006	06:00:00 AM	57.2	73.5	46.8
05/13/2006	06:30:00 AM	59.3	73	47.6
05/13/2006	07:00:00 AM	59.6	77.7	47.2
05/13/2006	07:30:00 AM	59.9	72.3	49.6
05/13/2006	08:00:00 AM	60.8	76.3	51.6
05/13/2006	08:30:00 AM	60.4	77.9	50.3
05/13/2006	09:00:00 AM	60.1	74.5	48.4
05/13/2006	09:30:00 AM	61.2	84.4	47.2
05/13/2006	10:00:00 AM	60.7	76.2	49.9
05/13/2006	10:30:00 AM	59.7	75.2	50.4
05/13/2006	11:00:00 AM	59	69.6	50.4
05/13/2006	11:30:00 AM	59.3	68.4	51.5
05/13/2006	12:00:00 PM	60	73.4	50.8
05/13/2006	12:30:00 PM	59.9	76	51.9
05/13/2006	01:00:00 PM	58.6	69.4	52.3
05/13/2006	01:30:00 PM	60.8	84.4	50.8
05/13/2006	02:00:00 PM	60.9	82.2	51.4
05/13/2006	02:30:00 PM	59.7	69.9	52.7
05/13/2006	03:00:00 PM	62	75.3	54.6
05/13/2006	03:30:00 PM	63.1	75	54.4

NML #4:

Parcels 70/71 - SavOn Gas Stations and Convenience Stores at Route 365 and Route 31

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/11/2006 05:00:06 PM
 End Time: 05/12/2006 04:30:06 PM
 Elapsed Time: 23:00:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 40-120 dB

RMS Peak	Time Slow	Frequency A C			
	Start date	Start time	LAeq	LAS10	LAS90
	05/11/2006	05:00:06 PM	67.7	71.5	64
	05/11/2006	05:30:06 PM	68.6	71.5	62.5
	05/11/2006	06:00:06 PM	67.9	70.5	63
	05/11/2006	06:30:06 PM	67.4	70	62
	05/11/2006	07:00:06 PM	67.2	70	61.5
	05/11/2006	07:30:06 PM	66.6	69	60.5
	05/11/2006	08:00:06 PM	66.7	69.5	60.5
	05/11/2006	08:30:06 PM	66.1	69	60.5
	05/11/2006	09:00:06 PM	66.3	69	60.5
	05/11/2006	09:30:06 PM	66	68.5	60.5
	05/11/2006	10:00:06 PM	65.9	69	59.5
	05/11/2006	10:30:06 PM	65.7	68.5	59.5
	05/11/2006	11:00:06 PM	65.9	68.5	59.5
	05/11/2006	11:30:06 PM	65.8	68.5	58
	05/12/2006	12:00:06 AM	64.5	68	57
	05/12/2006	12:30:06 AM	63.7	67.5	55.5
	05/12/2006	01:00:06 AM	64.1	67.5	57
	05/12/2006	01:30:06 AM	62.4	66	49.5
	05/12/2006	02:00:06 AM	63.6	66	57.5
	05/12/2006	02:30:06 AM	61.1	64	47.5
	05/12/2006	03:00:06 AM	61.1	64.5	48.5
	05/12/2006	03:30:06 AM	61.6	64	47.5
	05/12/2006	04:00:06 AM	62.2	65	54.5
	05/12/2006	04:30:06 AM	63	66	49.5
	05/12/2006	05:00:06 AM	63.9	66.5	50.5
	05/12/2006	05:30:06 AM	63.2	66	52
	05/12/2006	06:00:06 AM	63.1	66	54.5
	05/12/2006	06:30:06 AM	65.4	68	57
	05/12/2006	07:00:06 AM	65.4	68	59.5
	05/12/2006	07:30:06 AM	67.5	70	61
	05/12/2006	08:00:06 AM	68.6	69.5	58.5
	05/12/2006	08:30:06 AM	66.9	69.5	62.5
	05/12/2006	09:00:06 AM	68	69.5	64.5
	05/12/2006	09:30:06 AM	69.8	70.5	61
	05/12/2006	10:00:06 AM	67.3	69.5	61
	05/12/2006	10:30:06 AM	67.5	69.5	58.5

05/12/2006	11:00:06 AM	68.4	70.5	59.5
05/12/2006	11:30:06 AM	66.3	69	59.5
05/12/2006	12:00:06 PM	66.6	68.5	60
05/12/2006	12:30:06 PM	68.1	69	60
05/12/2006	01:00:06 PM	66.3	69	60.5
05/12/2006	01:30:06 PM	65.6	67.5	59
05/12/2006	02:00:06 PM	68.6	68.5	59.5
05/12/2006	02:30:06 PM	66.5	68.5	60.5
05/12/2006	03:00:06 PM	66.7	69	62
05/12/2006	03:30:06 PM	66	68.5	59.5
05/12/2006	04:00:06 PM	66.2	69.5	60.5

NML #5:

Parcel 190 - Vacant residence/farmland on Route 31 near Middle School (1 of 2)

Instrument: 2238
 Application: BZ7125 version 1.1
 Start Time: 05/12/2006 04:00:06 PM
 End Time: 05/12/2006 04:31:06 AM
 Elapsed Time: 12:30:00
 Bandwidth: Broad band
 Detector 1/2 Range: RMS Peak
 30.0-110.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2160380
 Microphone Serial Number: 2461956
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 04:55:52 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.6 dB
 Microphone: 2461956

Start date	Start time	LAeq	LASmin	LASmax
05/12/2006	04:00:06 PM	68.2	50.2	88.3
05/12/2006	04:30:06 PM	67.3	48.4	85.7
05/12/2006	05:00:06 PM	66.9	50.6	85.9
05/12/2006	05:30:06 PM	65.5	49.4	80.8
05/12/2006	06:00:06 PM	65.7	48.4	84.3
05/12/2006	06:30:06 PM	65	47	82.2
05/12/2006	07:00:06 PM	63.9	43.9	84.3
05/12/2006	07:30:06 PM	62.2	43.9	83.2
05/12/2006	08:00:06 PM	62.7	44.2	79.9
05/12/2006	08:30:06 PM	62.8	43.9	79.6
05/12/2006	09:00:06 PM	64.1	43.8	90.3
05/12/2006	09:30:06 PM	62.8	42.4	80.2
05/12/2006	10:00:06 PM	63.2	43	80
05/12/2006	10:30:06 PM	62.9	46	82.6
05/12/2006	11:00:06 PM	63.8	41.6	86.5
05/12/2006	11:30:06 PM	59.7	39.7	82.1
05/13/2006	12:00:06 AM	59.5	40.6	78.1
05/13/2006	12:30:06 AM	59.8	38.5	86
05/13/2006	01:00:06 AM	57.7	36.4	80.3
05/13/2006	01:30:06 AM	59.8	39.1	83.5
05/13/2006	02:00:06 AM	59.2	37.9	82
05/13/2006	02:30:06 AM	53.8	34.9	75.1
05/13/2006	03:00:06 AM	55.3	35.3	81
05/13/2006	03:30:06 AM	54.7	35	80.6

05/13/2006	04:00:06 AM	58.8	34	85.7
05/13/2006	04:30:06 AM	57.1	36.2	82.3

Measurement discontinued due to weak power supply.

NML #5:

Parcel 190 - Vacant residence/farmland on Route 31 near Middle School (2of 2)

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/16/2006 11:00:00 PM
 End Time: 05/17/2006 02:47:00 PM
 Elapsed Time: 15:47:00
 Bandwidth: Broad band
 Detector 1/2 Range: RMS Peak
 30.0-110.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A
 Criterion Level: 100.0 dB
 Threshold: 0.0 dB
 Exchange Rate 3 and 5
 Exposure Time: 7:30:00
 Peaks Over: 140.0 dB

Instrument Serial Number: 2457146
 Microphone Serial Number: 2499615
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/16/2006 10:15:10 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.5 dB
 Microphone: 2499615

Start date	Start time	LAeq	LASmax	LASmin
05/16/2006	11:00:00 PM	60.4	78.1	39.9
05/16/2006	11:30:00 PM	59.4	79	39.4
05/17/2006	12:00:00 AM	57.9	75.1	40.5
05/17/2006	12:30:00 AM	55.3	72.6	41.1
05/17/2006	01:00:00 AM	56.7	77.9	40.1
05/17/2006	01:30:00 AM	53.2	71.5	38
05/17/2006	02:00:00 AM	54.2	71	39.8
05/17/2006	02:30:00 AM	57.8	80.6	37.1
05/17/2006	03:00:00 AM	58.3	82.4	36.8
05/17/2006	03:30:00 AM	56.4	79.2	37.7
05/17/2006	04:00:00 AM	58.6	82.7	38.5
05/17/2006	04:30:00 AM	59.6	80.6	40.6
05/17/2006	05:00:00 AM	60.2	80.3	42.9
05/17/2006	05:30:00 AM	63	79.2	42.4
05/17/2006	06:00:00 AM	66.2	82.7	45.2
05/17/2006	06:30:00 AM	66.3	81.7	47.2
05/17/2006	07:00:00 AM	66.8	80.7	47.2
05/17/2006	07:30:00 AM	68	85.2	44.7
05/17/2006	08:00:00 AM	66.6	83.3	46.8

05/17/2006	08:30:00 AM	68	83.6	43.1
05/17/2006	09:00:00 AM	67.8	84.6	47.2
05/17/2006	09:30:00 AM	66.6	83.1	44.6
05/17/2006	10:00:00 AM	67.1	84.8	46.3
05/17/2006	10:30:00 AM	66.8	85.2	46.4
05/17/2006	11:00:00 AM	66.9	85.1	48
05/17/2006	11:30:00 AM	67	83	46.9
05/17/2006	12:00:00 PM	66.5	83.8	46.9
05/17/2006	12:30:00 PM	66	80.9	44.2
05/17/2006	01:00:00 PM	67.5	84.1	48.9
05/17/2006	01:30:00 PM	67.4	84.3	45.2
05/17/2006	02:00:00 PM	68.1	83.5	46.5
05/17/2006	02:30:00 PM	71.7	86.5	51.3

Measurement discontinued due to heavy rain.

NML #6:

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/12/2006 05:00:06 PM
 End Time: 05/13/2006 04:00:06 PM
 Elapsed Time: 22:30:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 40-120 dB

Parcel 244 - Farmland on Cooper Street

RMS Peak	Time	Frequency		
	Slow	A	C	
Start date	Start time	LAeq	LAS10	LAS90
05/12/2006	05:00:06 PM	58.6	72	48.5
05/12/2006	05:30:06 PM	57.7	61.5	43
05/12/2006	06:00:06 PM	55	56	40
05/12/2006	06:30:06 PM	55.5	56.5	42.5
05/12/2006	07:00:06 PM	54.9	56	45.5
05/12/2006	07:30:06 PM	56.6	57.5	44.5
05/12/2006	08:00:06 PM	54.7	54.5	48
05/12/2006	08:30:06 PM	55.1	54.5	51.5
05/12/2006	09:00:06 PM	55.7	55	50.5
05/12/2006	09:30:06 PM	53.8	52.5	48.5
05/12/2006	10:00:06 PM	52.1	51	46
05/12/2006	10:30:06 PM	50.8	50	42
05/12/2006	11:00:06 PM	49.7	49	---
05/12/2006	11:30:06 PM	49.3	48.5	---
05/13/2006	12:00:06 AM	48.4	47.5	---
05/13/2006	12:30:06 AM	48.4	49	---
05/13/2006	01:00:06 AM	48	48.5	---
05/13/2006	01:30:06 AM	45.4	48	---
05/13/2006	02:00:06 AM	48.3	49.5	---
05/13/2006	02:30:06 AM	45.2	46.5	---
05/13/2006	03:00:06 AM	41.4	44	---
05/13/2006	03:30:06 AM	42.3	45	---
05/13/2006	04:00:06 AM	44.9	45.5	---
05/13/2006	04:30:06 AM	47.7	46	---
05/13/2006	05:00:06 AM	48	52	---
05/13/2006	05:30:06 AM	57.2	53	---
05/13/2006	06:00:06 AM	51.2	50.5	---
05/13/2006	06:30:06 AM	56.5	60	---
05/13/2006	07:00:06 AM	56.3	59	---
05/13/2006	07:30:06 AM	53.6	54	---
05/13/2006	08:00:06 AM	51.1	50.5	---
05/13/2006	08:30:06 AM	58.6	60.5	---
05/13/2006	09:00:06 AM	54.4	53.5	---
05/13/2006	09:30:06 AM	55.6	57	---
05/13/2006	10:00:06 AM	54.3	55.5	---
05/13/2006	10:30:06 AM	55.1	57	40
05/13/2006	11:00:06 AM	53.5	54	40

05/13/2006	11:30:06 AM	54.6	56	40.5
05/13/2006	12:00:06 PM	55.6	57.5	41.5
05/13/2006	12:30:06 PM	56.4	57	42.5
05/13/2006	01:00:06 PM	54.7	55	42
05/13/2006	01:30:06 PM	54.3	54.5	42
05/13/2006	02:00:06 PM	54.7	55.5	44
05/13/2006	02:30:06 PM	58	58.5	46
05/13/2006	03:00:06 PM	58.7	58.5	45.5
05/13/2006	03:30:06 PM	58.4	60	45.5

--- Indicates noise levels recorded below 40 to 120 dBA range of meter.

NML #7:

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/14/2006 05:00:00 PM
 End Time: 05/15/2006 04:16:20 PM
 Elapsed Time: 23:16:20
 Bandwidth: Broad band
 Detector 1/2: RMS
 Range: Peak
 30.0-110.0 dB

Parcel 62 - Agricultural crops on Conley Road

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2343948
 Microphone Serial Number: 2304155
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/14/2006 03:55:16 PM
 Calibration Level: 93.8 dB
 Sensitivity: -31.5 dB
 Microphone: 2304155

Start date	Start time	LAeq	LASmax	LASmin
05/14/2006	05:00:00 PM	56.6	78	50.6
05/14/2006	05:30:00 PM	54.4	66.7	52
05/14/2006	06:00:00 PM	62.3	88.5	51.9
05/14/2006	06:30:00 PM	63.5	90.3	52
05/14/2006	07:00:00 PM	70	93.7	51.9
05/14/2006	07:30:00 PM	58.4	80.1	51.6
05/14/2006	08:00:00 PM	54.5	71.9	51.7
05/14/2006	08:30:00 PM	62.6	88.6	51.2
05/14/2006	09:00:00 PM	67.6	91.3	51.1
05/14/2006	09:30:00 PM	61.5	85.8	50.9
05/14/2006	10:00:00 PM	56.6	75.8	51
05/14/2006	10:30:00 PM	57.4	79.3	50.7
05/14/2006	11:00:00 PM	51.8	61.6	50.6
05/14/2006	11:30:00 PM	57.5	81.7	50.5
05/15/2006	12:00:00 AM	52.9	73.4	50.5
05/15/2006	12:30:00 AM	63.4	90.5	50.4
05/15/2006	01:00:00 AM	51.6	55.9	50.4
05/15/2006	01:30:00 AM	60.8	85.6	50.4
05/15/2006	02:00:00 AM	68.4	91.4	50.4
05/15/2006	02:30:00 AM	60.8	82.6	50.4
05/15/2006	03:00:00 AM	64.8	89.7	50.4
05/15/2006	03:30:00 AM	66.7	90.5	50.5
05/15/2006	04:00:00 AM	61.2	84.9	50.4
05/15/2006	04:30:00 AM	56	64	50.8
05/15/2006	05:00:00 AM	54.3	63.3	51.4

05/15/2006	05:30:00 AM	65.4	88.2	51.2
05/15/2006	06:00:00 AM	54.5	73.6	51.7
05/15/2006	06:30:00 AM	59.6	81	51.9
05/15/2006	07:00:00 AM	64.2	90.1	52
05/15/2006	07:30:00 AM	60.2	85.5	52
05/15/2006	08:00:00 AM	61	86.2	51.9
05/15/2006	08:30:00 AM	61.7	85	51.8
05/15/2006	09:00:00 AM	55.1	74	51.6
05/15/2006	09:30:00 AM	56.3	75.3	52
05/15/2006	10:00:00 AM	56.5	72	51.9
05/15/2006	10:30:00 AM	63.6	90.4	52.5
05/15/2006	11:00:00 AM	57.2	80.5	52.4
05/15/2006	11:30:00 AM	65.2	88.7	52.8
05/15/2006	12:00:00 PM	64	88.5	53.1
05/15/2006	12:30:00 PM	63.8	88.6	52.7
05/15/2006	01:00:00 PM	58.7	79.6	53
05/15/2006	01:30:00 PM	61.7	85.3	52.6
05/15/2006	02:00:00 PM	63	89.6	53.1
05/15/2006	02:30:00 PM	54.8	70.4	52.1
05/15/2006	03:00:00 PM	60.9	83.4	52.8
05/15/2006	03:30:00 PM	61.3	88.5	52.1
05/15/2006	04:00:00 PM	58.4	85.4	52.2

NML #8:

Instrument:
Application:
Start Time:
End Time:
Elapsed Time:
Bandwidth:
Detector 1/2
Range:

Parcel 16 - Vacant office building on Route 5

2238
BZ7125 version 1.1
05/15/2006 09:30:00 PM
05/16/2006 09:30:00 PM
24:00:00
Broad band
Peak
30.0-110.0 dB

RMS

Detector 1:
Detector 2:
Statistic

Time
S F I
Peak
S
Frequency
A
C
A

Instrument Serial Number:
Microphone Serial Number:
Input:
Windscreen Correction:
S. I. Correction:

2160380
2461956
Microphone
On
Frontal

Calibration Time:
Calibration Level:
Sensitivity:
Microphone:

05/11/2006 04:55:52 PM
93.8 dB
-29.6 dB
2461956

Start date	Start time	LAeq	LASmin	LASmax
05/15/2006	09:30:00 PM	60.1	---	96.4
05/15/2006	10:00:00 PM	58.1	---	73.4
05/15/2006	10:30:00 PM	55.8	---	70.7
05/15/2006	11:00:00 PM	56.5	---	71.1
05/15/2006	11:30:00 PM	57.2	---	73.2
05/16/2006	12:00:00 AM	57.2	---	76.2
05/16/2006	12:30:00 AM	53.4	---	71.2
05/16/2006	01:00:00 AM	53.8	---	71.6
05/16/2006	01:30:00 AM	51.9	---	68.4
05/16/2006	02:00:00 AM	49.2	---	69.7
05/16/2006	02:30:00 AM	54.6	---	74.8
05/16/2006	03:00:00 AM	48.7	---	68.1
05/16/2006	03:30:00 AM	52.1	---	71.8
05/16/2006	04:00:00 AM	55.1	---	77.8
05/16/2006	04:30:00 AM	54.6	30	73.1
05/16/2006	05:00:00 AM	57.1	38.3	76.5
05/16/2006	05:30:00 AM	59.9	39	76
05/16/2006	06:00:00 AM	60.9	41.5	75.2
05/16/2006	06:30:00 AM	62.8	41.4	77.2
05/16/2006	07:00:00 AM	63.7	45.7	83.7
05/16/2006	07:30:00 AM	64.5	49.3	76.4
05/16/2006	08:00:00 AM	63	43.9	76.6
05/16/2006	08:30:00 AM	63.1	44.2	73.6
05/16/2006	09:00:00 AM	63	41.5	78.2
05/16/2006	09:30:00 AM	63	44.5	76.8

05/16/2006	10:00:00 AM	62.5	41.5	74.2
05/16/2006	10:30:00 AM	63.2	37.3	76.1
05/16/2006	11:00:00 AM	62.2	37.6	77.7
05/16/2006	11:30:00 AM	62.1	40.8	78.1
05/16/2006	12:00:00 PM	62.4	39.9	77.8
05/16/2006	12:30:00 PM	62.2	42.7	75
05/16/2006	01:00:00 PM	62.8	42.5	84.5
05/16/2006	01:30:00 PM	62.2	39.4	73.8
05/16/2006	02:00:00 PM	60.9	41.1	76.2
05/16/2006	02:30:00 PM	62.3	42.6	81.3
05/16/2006	03:00:00 PM	61.8	43.2	76.4
05/16/2006	03:30:00 PM	63.8	43.2	76.2
05/16/2006	04:00:00 PM	63.6	41.9	75.4
05/16/2006	04:30:00 PM	63.7	47.6	79.3
05/16/2006	05:00:00 PM	65.1	44	90.6
05/16/2006	05:30:00 PM	64	42.9	87.5
05/16/2006	06:00:00 PM	63.5	43.8	74.2
05/16/2006	06:30:00 PM	62.4	39.9	74.2
05/16/2006	07:00:00 PM	62.7	39.8	80.1
05/16/2006	07:30:00 PM	62.3	42.1	75.7
05/16/2006	08:00:00 PM	62.6	41.1	74.8
05/16/2006	08:30:00 PM	62.5	42.1	76.1
05/16/2006	09:00:00 PM	62.1	45.3	72.4

--- Indicates noise levels recorded below 30 to 120 dBA range of meter.

NML #9:

Instrument: 2238
 Application: BZ7125 version 1.1
 Start Time: 05/14/2006 05:30:00 PM
 End Time: 05/15/2006 04:00:00 PM
 Elapsed Time: 23:00:00
 Bandwidth: Broad band
 Detector 1/2 Range: RMS Peak
 30.0-110.0 dB

Parcel 99 - Vacant Res/Agricultural crops on Spring Road

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2160380
 Microphone Serial Number: 2461956
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 04:55:52 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.6 dB
 Microphone: 2461956

Start date	Start time	LAeq	LASmax	LASmin
05/14/2006	05:30:00 PM	52.7	69.3	43.4
05/14/2006	06:00:00 PM	52.8	71.5	42.1
05/14/2006	06:30:00 PM	53.1	69.4	41.1
05/14/2006	07:00:00 PM	52.7	77.4	41.4
05/14/2006	07:30:00 PM	53.5	71.2	41.3
05/14/2006	08:00:00 PM	51.6	71.3	39.7
05/14/2006	08:30:00 PM	49.6	67.3	40
05/14/2006	09:00:00 PM	51.5	72.1	39
05/14/2006	09:30:00 PM	47.4	70.6	35.4
05/14/2006	10:00:00 PM	48	72.7	34.8
05/14/2006	10:30:00 PM	45.6	68.6	35
05/14/2006	11:00:00 PM	44.2	69	32.2
05/14/2006	11:30:00 PM	42.3	65.4	---
05/15/2006	12:00:00 AM	47.1	70.3	---
05/15/2006	12:30:00 AM	41	67.3	---
05/15/2006	01:00:00 AM	47.4	84.6	---
05/15/2006	01:30:00 AM	41.8	69	---
05/15/2006	02:00:00 AM	42.1	69.5	30.3
05/15/2006	02:30:00 AM	40.4	63.3	---
05/15/2006	03:00:00 AM	40.3	65.5	---
05/15/2006	03:30:00 AM	44.6	70.7	30.5
05/15/2006	04:00:00 AM	47.7	73.9	---
05/15/2006	04:30:00 AM	45.8	68.6	31.3
05/15/2006	05:00:00 AM	50.1	70.5	39.8
05/15/2006	05:30:00 AM	50.5	70.3	38.9

05/15/2006	06:00:00 AM	51.4	70.8	37.5
05/15/2006	06:30:00 AM	54.9	75.8	39.3
05/15/2006	07:00:00 AM	54.7	73.3	43.6
05/15/2006	07:30:00 AM	55.6	73.2	43
05/15/2006	08:00:00 AM	55.2	76	41.5
05/15/2006	08:30:00 AM	56.9	80.5	40.9
05/15/2006	09:00:00 AM	53.7	81.5	40.8
05/15/2006	09:30:00 AM	52.1	74	40.6
05/15/2006	10:00:00 AM	54.3	72.6	40.8
05/15/2006	10:30:00 AM			
05/15/2006	11:00:00 AM			
05/15/2006	11:30:00 AM			
05/15/2006	12:00:00 PM			
05/15/2006	12:30:00 PM			
05/15/2006	01:00:00 PM	54.3	75.9	43.5
05/15/2006	01:30:00 PM	54.3	82	41.3
05/15/2006	02:00:00 PM	57.6	73.6	42.1
05/15/2006	02:30:00 PM	61.7	93.7	43.8
05/15/2006	03:00:00 PM	58.1	77.3	46.8
05/15/2006	03:30:00 PM	58.7	76.1	49.1
05/15/2006	04:00:00 PM	60.2	77.7	49.1
05/15/2006	04:30:00 PM			
05/15/2006	05:00:00 PM			

--- Indicates noise levels below 30 -110 dBA range of meter
 Measurements discontinued between 10:30 AM and 1:00 PM due to weak power supply
 Measurements discontinued after 4:00 PM due to heavy rain

NML #10:**Parcel 199 - Vacant residence on Route 31**

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/13/2006 05:00:09 PM
 End Time: 05/14/2006 05:31:55 PM
 Elapsed Time: 24:31:46
 Bandwidth: Broad band
 Detector 1/2: RMS Peak
 Range: 30.0-110.0 dB

Detector 1: Time Frequency
 S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2457146
 Microphone Serial Number: 2499615
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 02:23:40 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.7 dB
 Microphone: 2499615

Start date	Start time	LAeq	LASmax	LASmin
05/13/2006	05:00:09 PM	64.7	79.2	49.3
05/13/2006	05:30:09 PM	64.6	76.7	46
05/13/2006	06:00:09 PM	64.4	81.6	49.1
05/13/2006	06:30:09 PM	64.5	76.9	48.5
05/13/2006	07:00:09 PM	64.4	83.6	48.3
05/13/2006	07:30:09 PM	68.6	93.1	48.3
05/13/2006	08:00:09 PM	64.3	80	48.9
05/13/2006	08:30:09 PM	62.3	76.5	49.3
05/13/2006	09:00:09 PM	63.1	81.2	48.4
05/13/2006	09:30:09 PM	61.8	72	48.6
05/13/2006	10:00:09 PM	61.3	74.8	48.8
05/13/2006	10:30:09 PM	62.2	73.6	47.6
05/13/2006	11:00:09 PM	61.9	78.3	47.6
05/13/2006	11:30:09 PM	60.4	77.7	47.4
05/14/2006	12:00:09 AM	61.1	78.3	47.2
05/14/2006	12:30:09 AM	57.6	71.8	47
05/14/2006	01:00:09 AM	59.4	77.7	36.4
05/14/2006	01:30:09 AM	58	79.3	34.7
05/14/2006	02:00:09 AM	53.7	71.2	32.8
05/14/2006	02:30:09 AM	56.9	74.8	33.4
05/14/2006	03:00:09 AM	54.6	71.7	32.3
05/14/2006	03:30:09 AM	55	71.3	30
05/14/2006	04:00:09 AM	56.2	78.6	30
05/14/2006	04:30:09 AM	54.3	72.4	30
05/14/2006	05:00:09 AM	57.3	74.5	44.5

05/14/2006	05:30:09 AM	58	75.8	44.3
05/14/2006	06:00:09 AM	55.9	73.3	46.8
05/14/2006	06:30:09 AM	57.8	73.4	45.1
05/14/2006	07:00:09 AM	59.6	74.4	41
05/14/2006	07:30:09 AM	61.3	74.5	39.4
05/14/2006	08:00:09 AM	62	77.1	36.7
05/14/2006	08:30:09 AM	62.5	77.8	40
05/14/2006	09:00:09 AM	62.2	76.2	38.7
05/14/2006	09:30:09 AM	63.6	76.7	37.9
05/14/2006	10:00:09 AM	62.3	77.4	40.3
05/14/2006	10:30:09 AM	63.3	77.1	41
05/14/2006	11:00:09 AM	65	80.6	42
05/14/2006	11:30:09 AM	64	77.1	43.8
05/14/2006	12:00:09 PM	64.1	78.8	43.5
05/14/2006	12:30:09 PM	64.2	77.5	43.6
05/14/2006	01:00:09 PM	65.1	77.3	44
05/14/2006	01:30:09 PM	64.9	80.2	46.2
05/14/2006	02:00:09 PM	64.3	77.6	46.2
05/14/2006	02:30:09 PM	64.5	80.9	44.4
05/14/2006	03:00:09 PM	64.7	78.3	43.2
05/14/2006	03:30:09 PM	64.6	76.2	45.8
05/14/2006	04:00:09 PM	64.6	74.9	42.2
05/14/2006	04:30:09 PM	65	74.2	42.8
05/14/2006	05:00:09 PM	64.5	77.7	41.6
05/14/2006	05:30:09 PM	63	71.2	47.6

NML #11:

Parcel 231 - SavOn Gas Station and Convenience Store on Route 5 near PlazaMart and Hood Dairy

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/14/2006 07:30:06 PM
 End Time: 05/15/2006 06:00:06 PM
 Elapsed Time: 22:00:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 40-120 dB

RMS Peak	Time Slow	Frequency A C			
Start date	Start time	LAeq	LAS10	LAS90	
05/14/2006	07:30:06 PM	61.5	64	54	
05/14/2006	08:00:06 PM	59.9	63	51	
05/14/2006	08:30:06 PM	59.3	62.5	49.5	
05/14/2006	09:00:06 PM	58.9	62.5	49.5	
05/14/2006	09:30:06 PM	58.5	62	48.5	
05/14/2006	10:00:06 PM	56.7	60.5	46	
05/14/2006	10:30:06 PM	54.7	59.5	45	
05/14/2006	11:00:06 PM	60	61	45	
05/14/2006	11:30:06 PM	54	59	45	
05/15/2006	12:00:06 AM	53.7	57	44	
05/15/2006	12:30:06 AM	52.4	57	45	
05/15/2006	01:00:06 AM	50.3	52	43.5	
05/15/2006	01:30:06 AM	50.1	51	43.5	
05/15/2006	02:00:06 AM	51.9	54.5	44	
05/15/2006	02:30:06 AM	56	59	45	
05/15/2006	03:00:06 AM	52.4	54.5	44	
05/15/2006	03:30:06 AM	52.7	54	45	
05/15/2006	04:00:06 AM	55.3	58.5	46	
05/15/2006	04:30:06 AM	58.2	61	46	
05/15/2006	05:00:06 AM	58	61.5	47	
05/15/2006	05:30:06 AM	61.3	63.5	50.5	
05/15/2006	06:00:06 AM	62.5	65	53.5	
05/15/2006	06:30:06 AM	63.2	65.5	54.5	
05/15/2006	07:00:06 AM	65.2	68	58.5	
05/15/2006	07:30:06 AM	65.8	69	57.5	
05/15/2006	08:00:06 AM	64.1	66.5	58.5	
05/15/2006	08:30:06 AM	63.2	65.5	57	
05/15/2006	09:00:06 AM	64.3	66.5	55.5	
05/15/2006	09:30:06 AM	62.4	65	55.5	
05/15/2006	10:00:06 AM	63.8	66.5	56.5	
05/15/2006	10:30:06 AM	62.9	65.5	56	
05/15/2006	11:00:06 AM	62.8	65	56	
05/15/2006	11:30:06 AM	62.8	65	56	
05/15/2006	12:00:06 PM	62.3	65	55.5	
05/15/2006	12:30:06 PM	63.6	66	56	
05/15/2006	01:00:06 PM	63.5	66.5	56.5	

05/15/2006	01:30:06 PM	62.3	64.5	56
05/15/2006	02:00:06 PM	62.7	65.5	56.5
05/15/2006	02:30:06 PM	64.4	67.5	58
05/15/2006	03:00:06 PM	63.9	66.5	58.5
05/15/2006	03:30:06 PM	65.5	68	59
05/15/2006	04:00:06 PM	66.5	69	60
05/15/2006	04:30:06 PM	66	68.5	59
05/15/2006	05:00:06 PM	65.8	69	58.5
05/15/2006	05:30:06 PM	66.8	70	58.5

NML #12:

Instrument:
Application:
Start Time:
End Time:
Elapsed Time:
Bandwidth:
Log Rate
Range:

Parcels 79/80 - SavOn Gas Station and Convenience Store on Route 13 near Boxing Hall Of Fame

SLM Type 2236
Logged
05/14/2006 07:30:06 PM
05/15/2006 06:00:06 PM
22:00:00
Broad band
1800 sec.
40-120 dB

RMS Peak	Time Slow	Frequency A C			
Start date	Start time	LAeq	LAS10	LAS90	
05/14/2006	07:30:06 PM	59.5	61.5	54.5	
05/14/2006	08:00:06 PM	61.3	62.5	55	
05/14/2006	08:30:06 PM	59.3	62	56	
05/14/2006	09:00:06 PM	59.4	62.5	56	
05/14/2006	09:30:06 PM	60.5	63	55.5	
05/14/2006	10:00:06 PM	61.6	63.5	56.5	
05/14/2006	10:30:06 PM	60.9	63	60	
05/14/2006	11:00:06 PM	61	64	60.5	
05/14/2006	11:30:06 PM	60.6	63	60	
05/15/2006	12:00:06 AM	60	63	59	
05/15/2006	12:30:06 AM	59.7	61.5	59.5	
05/15/2006	01:00:06 AM	59.6	61.5	60	
05/15/2006	01:30:06 AM	59.8	62	60	
05/15/2006	02:00:06 AM	58.7	61	60	
05/15/2006	02:30:06 AM	59	61	60.5	
05/15/2006	03:00:06 AM	58.2	60	60	
05/15/2006	03:30:06 AM	57.6	60	60	
05/15/2006	04:00:06 AM	59.6	61.5	59.5	
05/15/2006	04:30:06 AM	64.1	66	59	
05/15/2006	05:00:06 AM	63	65.5	59.5	
05/15/2006	05:30:06 AM	60.6	63	59.5	
05/15/2006	06:00:06 AM	62.3	64.5	61	
05/15/2006	06:30:06 AM	62.9	65	61	
05/15/2006	07:00:06 AM	62	64.5	62	
05/15/2006	07:30:06 AM	63.7	65	62.5	
05/15/2006	08:00:06 AM	63.6	66	62	
05/15/2006	08:30:06 AM	62.4	64.5	62	
05/15/2006	09:00:06 AM	63.2	66	61.5	
05/15/2006	09:30:06 AM	63.6	66.5	61.5	
05/15/2006	10:00:06 AM	62.7	65	61	
05/15/2006	10:30:06 AM	62.3	65	61.5	
05/15/2006	11:00:06 AM	62.4	65	61.5	
05/15/2006	11:30:06 AM	61	64	61	
05/15/2006	12:00:06 PM	63.2	66	61	
05/15/2006	12:30:06 PM	61.4	64.5	60	
05/15/2006	01:00:06 PM	61.5	64	59	

05/15/2006	01:30:06 PM	66.1	68.5	59.5
05/15/2006	02:00:06 PM	62.1	65	59.5
05/15/2006	02:30:06 PM	61.9	64	59
05/15/2006	03:00:06 PM	63.4	65.5	59.5
05/15/2006	03:30:06 PM	62.7	64.5	58.5
05/15/2006	04:00:06 PM	63.4	65.5	59
05/15/2006	04:30:06 PM	61.9	64	59
05/15/2006	05:00:06 PM	62.8	66	59.5
05/15/2006	05:30:06 PM	62.2	66	59

NML #13:

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/14/2006 06:30:00 PM
 End Time: 05/15/2006 05:08:44 PM
 Elapsed Time: 22:38:44
 Bandwidth: Broad band
 Detector 1/2: RMS Peak
 Range: 30.0-110.0 dB

Parcel 291 - Agricultural land adjacent to North Main Street and I-90

Detector 1: Time S F I Frequency A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2457146
 Microphone Serial Number: 2499615
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 02:23:40 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.7 dB
 Microphone: 2499615

Start date	Start time	LAeq	LASmax	LASmin
05/14/2006	06:30:00 PM	60.6	75.3	53.2
05/14/2006	07:00:00 PM	59.6	67.9	50.5
05/14/2006	07:30:00 PM	60.1	67.4	53.8
05/14/2006	08:00:00 PM	59.3	66.3	52.7
05/14/2006	08:30:00 PM	58.7	65.9	52.2
05/14/2006	09:00:00 PM	57.5	66.4	49.3
05/14/2006	09:30:00 PM	56.2	67.1	47.7
05/14/2006	10:00:00 PM	56	67	46.7
05/14/2006	10:30:00 PM	54.5	66.1	45.7
05/14/2006	11:00:00 PM	54.3	66.9	42
05/14/2006	11:30:00 PM	52.7	61.2	39.1
05/15/2006	12:00:00 AM	52.2	63.5	37.6
05/15/2006	12:30:00 AM	51.8	64.7	37.5
05/15/2006	01:00:00 AM	50.8	60.3	37.1
05/15/2006	01:30:00 AM	50.8	61.2	33.6
05/15/2006	02:00:00 AM	51.6	61.9	33.8
05/15/2006	02:30:00 AM	52.5	68.9	36.6
05/15/2006	03:00:00 AM	53.1	66.1	33
05/15/2006	03:30:00 AM	53	59.8	39.4
05/15/2006	04:00:00 AM	53.9	68.8	36.5
05/15/2006	04:30:00 AM	55.9	66	44.1
05/15/2006	05:00:00 AM	56.8	66.6	47.3
05/15/2006	05:30:00 AM	59.5	73.2	49.2
05/15/2006	06:00:00 AM	62.5	81.5	54.4
05/15/2006	06:30:00 AM	60.9	78.1	53.5

05/15/2006	07:00:00 AM	61.5	75.9	54.2
05/15/2006	07:30:00 AM	62.2	74.6	51.7
05/15/2006	08:00:00 AM	61.2	71.1	54.2
05/15/2006	08:30:00 AM	59.8	68.1	53.4
05/15/2006	09:00:00 AM	59.7	67.6	51.5
05/15/2006	09:30:00 AM	59.9	74.8	51.8
05/15/2006	10:00:00 AM	58.6	67.3	50.3
05/15/2006	10:30:00 AM	57.4	73.3	48.8
05/15/2006	11:00:00 AM	58.3	72.6	51.3
05/15/2006	11:30:00 AM	58.2	71.2	50.5
05/15/2006	12:00:00 PM	59.1	67.8	51.4
05/15/2006	12:30:00 PM	59.5	70.6	52.1
05/15/2006	01:00:00 PM	59.9	69.1	52.3
05/15/2006	01:30:00 PM	60.7	70.5	51.9
05/15/2006	02:00:00 PM	60.4	71.1	54
05/15/2006	02:30:00 PM	61.3	70	55.1
05/15/2006	03:00:00 PM	63	69.7	55.1
05/15/2006	03:30:00 PM	61.2	70.9	55.3
05/15/2006	04:00:00 PM	60.1	68.1	55.1
05/15/2006	04:30:00 PM	58.7	69.8	52.6

NML #14:

**Parcel 219 - SavOn Gas Station and Convenience Store near
Route 31 and Route 13**

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/13/2006 06:00:06 PM
 End Time: 05/14/2006 06:00:06 PM
 Elapsed Time: 23:30:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 40-120 dB

RMS Peak	Time Slow	Frequency A C			
Start date	Start time	LAeq	LAS10	LAS90	
05/13/2006	06:00:06 PM	65.7	66	58	
05/13/2006	06:30:06 PM	62.5	64.5	57	
05/13/2006	07:00:06 PM	64.3	64.5	56.5	
05/13/2006	07:30:06 PM	62.9	64.5	55	
05/13/2006	08:00:06 PM	60.8	63.5	55	
05/13/2006	08:30:06 PM	60.1	63	54	
05/13/2006	09:00:06 PM	60.3	63	54.5	
05/13/2006	09:30:06 PM	60.4	63	53.5	
05/13/2006	10:00:06 PM	61.4	63.5	53.5	
05/13/2006	10:30:06 PM	58.7	62	52	
05/13/2006	11:00:06 PM	59.4	63	51.5	
05/13/2006	11:30:06 PM	57.2	60	49.5	
05/14/2006	12:00:06 AM	57.1	59.5	48	
05/14/2006	12:30:06 AM	56	58.5	47.5	
05/14/2006	01:00:06 AM	55.6	57.5	47	
05/14/2006	01:30:06 AM	55.7	58	46	
05/14/2006	02:00:06 AM	55.2	56.5	46	
05/14/2006	02:30:06 AM	51.6	53.5	45	
05/14/2006	03:00:06 AM	52.2	54	45	
05/14/2006	03:30:06 AM	52.9	55	45.5	
05/14/2006	04:00:06 AM	56.2	57	45.5	
05/14/2006	04:30:06 AM	54.6	54.5	46.5	
05/14/2006	05:00:06 AM	56.8	58.5	48.5	
05/14/2006	05:30:06 AM	57.3	60	49.5	
05/14/2006	06:00:06 AM	56.9	60.5	48.5	
05/14/2006	06:30:06 AM	57.3	60	49.5	
05/14/2006	07:00:06 AM	57.5	61	49.5	
05/14/2006	07:30:06 AM	58.6	62	49.5	
05/14/2006	08:00:06 AM	59.8	63	51.5	
05/14/2006	08:30:06 AM	61.7	64.5	55	
05/14/2006	09:00:06 AM	72.8	63.5	53.5	*
05/14/2006	09:30:06 AM	63.9	65.5	55.5	
05/14/2006	10:00:06 AM	60.8	64	55	
05/14/2006	10:30:06 AM	63	66	55.5	
05/14/2006	11:00:06 AM	62.2	65.5	56	
05/14/2006	11:30:06 AM	62.6	65	57	

05/14/2006	12:00:06 PM	63	65	57.5	
05/14/2006	12:30:06 PM	62.4	64.5	58	
05/14/2006	01:00:06 PM	63.3	65.5	57.5	
05/14/2006	01:30:06 PM	64.2	65.5	58	
05/14/2006	02:00:06 PM	62.9	64.5	57.5	
05/14/2006	02:30:06 PM	62.7	65.5	57	
05/14/2006	03:00:06 PM	62.7	65	57.5	
05/14/2006	03:30:06 PM	63.3	65.5	57	
05/14/2006	04:00:06 PM	70.2	67	58	**
05/14/2006	04:30:06 PM	62.1	64.5	57	
05/14/2006	05:00:06 PM	62.4	65	56.5	
05/14/2006	05:30:06 PM	65.4	65.5	58	

* Elevated sound levels due to emergency vehicles at car accident in intersection.

** Elevated sound levels due to grass cutting activities.

NML #15:

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/14/2006 06:00:00 PM
 End Time: 05/15/2006 05:01:03 PM
 Elapsed Time: 23:01:03
 Bandwidth: Broad band
 Detector 1/2: RMS Peak
 Range: 30.0-110.0 dB

Parcel 159 - Vacant residence/farmland on Whitelaw Road

Detector 1: Time S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2498697
 Microphone Serial Number: 2428645
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/09/2006 07:59:54 AM
 Calibration Level: 93.8 dB
 Sensitivity: -30.2 dB
 Microphone: 2428645

Start date	Start time	LAeq	LASmax	LASmin
05/14/2006	06:00:00 PM	52.7	71.6	39.8
05/14/2006	06:30:00 PM	50.8	69.5	39.2
05/14/2006	07:00:00 PM	54.4	74.7	37.8
05/14/2006	07:30:00 PM	54.1	74.5	42.5
05/14/2006	08:00:00 PM	56.1	73	43.4
05/14/2006	08:30:00 PM	52.5	71.5	41.8
05/14/2006	09:00:00 PM	51	70	39
05/14/2006	09:30:00 PM	50.9	72.4	40.2
05/14/2006	10:00:00 PM	48.4	71.7	34.4
05/14/2006	10:30:00 PM	48.5	70.7	32
05/14/2006	11:00:00 PM	48.5	70.5	31.1
05/14/2006	11:30:00 PM	47.6	70.6	---
05/15/2006	12:00:00 AM	41.7	65.6	---
05/15/2006	12:30:00 AM	39.1	62.7	---
05/15/2006	01:00:00 AM	41.3	64.2	---
05/15/2006	01:30:00 AM	42.6	68.4	30.8
05/15/2006	02:00:00 AM	37.1	49.2	30.8
05/15/2006	02:30:00 AM	44.5	70.9	---
05/15/2006	03:00:00 AM	39.9	63.2	---
05/15/2006	03:30:00 AM	41.5	64.4	32.2
05/15/2006	04:00:00 AM	41.1	67.8	---
05/15/2006	04:30:00 AM	44.5	70.6	---
05/15/2006	05:00:00 AM	50.7	75.7	35.7
05/15/2006	05:30:00 AM	49.6	70	36.9
05/15/2006	06:00:00 AM	49.3	69.9	37.7

05/15/2006	06:30:00 AM	49.7	69.4	38.5
05/15/2006	07:00:00 AM	53.3	73.5	39.6
05/15/2006	07:30:00 AM	55.4	74.6	41.3
05/15/2006	08:00:00 AM	53.5	72.3	40.9
05/15/2006	08:30:00 AM	51.6	71	40.6
05/15/2006	09:00:00 AM	51.4	71.6	38.9
05/15/2006	09:30:00 AM	51.7	68.9	38.9
05/15/2006	10:00:00 AM	51.6	71.9	39.1
05/15/2006	10:30:00 AM	48.6	68.2	39.2
05/15/2006	11:00:00 AM	53.9	76.1	39.3
05/15/2006	11:30:00 AM	69.6	94.4	39.5
05/15/2006	12:00:00 PM	51.9	70.9	39.1
05/15/2006	12:30:00 PM	49.4	67.6	38.9
05/15/2006	01:00:00 PM	53.3	69.6	42.3
05/15/2006	01:30:00 PM	55.3	71.5	43.8
05/15/2006	02:00:00 PM	54.3	70.4	39.6
05/15/2006	02:30:00 PM	51.8	72.3	40.4
05/15/2006	03:00:00 PM	55.1	73	43.2
05/15/2006	03:30:00 PM	56	73.7	41.8
05/15/2006	04:00:00 PM	56.2	74	45.5
05/15/2006	04:30:00 PM	56.3	74.5	43.8
05/15/2006	05:00:00 PM	58.6	67.6	50.1

--- Indicates noise levels recorded below 30.0 to 110 dBA range of meter.

NML #16:
Instrument: SLM Type 2236
Application: Logged
Start Time: 05/13/2006 06:00:06 PM
End Time: 05/14/2006 06:30:06 PM
Elapsed Time: 24:00:00
Bandwidth: Broad band
Log Rate: 1800 sec.
Range: 40-120 dB

Parcels 313/327 - Snug Harbor Marina

RMS Peak	Time Slow	Frequency A C			
Start date	Start time	LAeq	LAS10	LAS90	
05/13/2006	06:00:06 PM	60.8	63.5	54.5	
05/13/2006	06:30:06 PM	60.4	63	54	
05/13/2006	07:00:06 PM	59.5	61.5	53.5	
05/13/2006	07:30:06 PM	59.8	62	52.5	
05/13/2006	08:00:06 PM	59.2	61.5	53	
05/13/2006	08:30:06 PM	58.3	61	50.5	
05/13/2006	09:00:06 PM	58.3	60.5	50.5	
05/13/2006	09:30:06 PM	57.2	60	49.5	
05/13/2006	10:00:06 PM	57.3	59.5	49.5	
05/13/2006	10:30:06 PM	57.3	60	49	
05/13/2006	11:00:06 PM	56.5	59.5	47.5	
05/13/2006	11:30:06 PM	54.1	58	45	
05/14/2006	12:00:06 AM	53.2	57	43.5	
05/14/2006	12:30:06 AM	51.4	56	42	
05/14/2006	01:00:06 AM	51.4	55	42	
05/14/2006	01:30:06 AM	50.7	54.5	42.5	
05/14/2006	02:00:06 AM	51.1	54.5	42	
05/14/2006	02:30:06 AM	49.3	53	40	
05/14/2006	03:00:06 AM	49.3	52.5	40	
05/14/2006	03:30:06 AM	48.5	49.5	40	
05/14/2006	04:00:06 AM	48.9	49	40	
05/14/2006	04:30:06 AM	50.2	53.5	43	
05/14/2006	05:00:06 AM	51.7	55	43	
05/14/2006	05:30:06 AM	52.1	56	42	
05/14/2006	06:00:06 AM	52.3	56.5	43	
05/14/2006	06:30:06 AM	53.5	57.5	43	
05/14/2006	07:00:06 AM	53.4	58	43	
05/14/2006	07:30:06 AM	55.4	59.5	44.5	
05/14/2006	08:00:06 AM	56.8	59.5	46.5	
05/14/2006	08:30:06 AM	57.1	60.5	49	
05/14/2006	09:00:06 AM	67	60.5	49	
05/14/2006	09:30:06 AM	58	61	49.5	
05/14/2006	10:00:06 AM	58.3	61	50.5	
05/14/2006	10:30:06 AM	59.2	61.5	51.5	
05/14/2006	11:00:06 AM	58.6	61	51	
05/14/2006	11:30:06 AM	59.5	61.5	52	
05/14/2006	12:00:06 PM	59.7	62	53	

05/14/2006	12:30:06 PM	59.2	61.5	53.5
05/14/2006	01:00:06 PM	59.8	62	53.5
05/14/2006	01:30:06 PM	62.4	62.5	54
05/14/2006	02:00:06 PM	59.7	61.5	53
05/14/2006	02:30:06 PM	58.5	61	51.5
05/14/2006	03:00:06 PM	58.8	61.5	52.5
05/14/2006	03:30:06 PM	59.4	61.5	53
05/14/2006	04:00:06 PM	62.8	65.5	55.5
05/14/2006	04:30:06 PM	59.1	61.5	53.5
05/14/2006	05:00:06 PM	60.7	62	52.5
05/14/2006	05:30:06 PM	59.2	62	53
05/14/2006	06:00:06 PM	59.2	61.5	52

NML #17:

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/15/2006 08:30:00 PM
 End Time: 05/16/2006 07:01:54 PM
 Elapsed Time: 22:31:54
 Bandwidth: Broad band
 Detector 1/2 RMS Peak
 Range: 20.0-100.0 dB

Parcel 4 - Entrance of Village of White Pines Residences

	Time	Frequency
Detector 1:	S F I	A
Detector 2:	Peak	C
Statistic	S	A

Instrument Serial Number: 2498697
 Microphone Serial Number: 2428645
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/09/2006 07:59:54 AM
 Calibration Level: 93.8 dB
 Sensitivity: -30.2 dB
 Microphone: 2428645

Start date	Start time	LAeq	LASmax	LASmin
05/15/2006	08:30:00 PM	49.3	71.1	35.3
05/15/2006	09:00:00 PM	46.8	64.9	34.3
05/15/2006	09:30:00 PM	43.1	62.8	31.4
05/15/2006	10:00:00 PM	44.4	64.4	30.9
05/15/2006	10:30:00 PM	42.7	63.1	30.6
05/15/2006	11:00:00 PM	43.1	63.5	30.3
05/15/2006	11:30:00 PM	37.8	52.8	29.2
05/16/2006	12:00:00 AM	44.5	64.6	30
05/16/2006	12:30:00 AM	35.6	47.4	28.9
05/16/2006	01:00:00 AM	35.5	49.1	28.7
05/16/2006	01:30:00 AM	32.3	41	28.8
05/16/2006	02:00:00 AM	37.7	63.2	28.3
05/16/2006	02:30:00 AM	42.9	60.4	28.6
05/16/2006	03:00:00 AM	39.9	59.4	28.2
05/16/2006	03:30:00 AM	39	59.1	27.7
05/16/2006	04:00:00 AM	36.9	51	29.5
05/16/2006	04:30:00 AM	41.1	53.6	30.3
05/16/2006	05:00:00 AM	45.5	59.6	36
05/16/2006	05:30:00 AM	47.1	64	35.4
05/16/2006	06:00:00 AM	46.1	63	35.5
05/16/2006	06:30:00 AM	49.2	67.1	35.8
05/16/2006	07:00:00 AM	50.9	67.4	35
05/16/2006	07:30:00 AM	54.4	71.9	36.6
05/16/2006	08:00:00 AM	51	70.3	35
05/16/2006	08:30:00 AM	49.8	66.6	33.6

05/16/2006	09:00:00 AM	49	66.4	34.1	
05/16/2006	09:30:00 AM	53.3	69	35.2	
05/16/2006	10:00:00 AM	53.5	74.6	33.1	
05/16/2006	10:30:00 AM	53.8	70	33.8	
05/16/2006	11:00:00 AM	53.2	69	39.3	
05/16/2006	11:30:00 AM	74.4	93.8	33.5	*
05/16/2006	12:00:00 PM	50.3	65.3	36.3	
05/16/2006	12:30:00 PM	51.8	69.3	37.6	
05/16/2006	01:00:00 PM	74.9	91.3	36.6	*
05/16/2006	01:30:00 PM	69.4	81.7	41.2	*
05/16/2006	02:00:00 PM	57.4	71.3	49.4	
05/16/2006	02:30:00 PM	61.2	72.5	49.6	
05/16/2006	03:00:00 PM	60.4	69.5	48.8	
05/16/2006	03:30:00 PM	54.7	67.2	48.9	
05/16/2006	04:00:00 PM	54.1	67.7	48.7	
05/16/2006	04:30:00 PM	53.7	66.5	48.8	
05/16/2006	05:00:00 PM	54	65.5	49	
05/16/2006	05:30:00 PM	53.1	64.9	48.9	
05/16/2006	06:00:00 PM	53.3	66	48.9	
05/16/2006	06:30:00 PM	52.3	64.7	48.8	
05/16/2006	07:00:00 PM	58	71.9	47.9	

* Elevated noise levels to lawn mowing activities as close at 5 feet from meter at times.

NML #18:**Parcel 178 - Vacant residence on Route 46**

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/15/2006 08:30:00 PM
 End Time: 05/16/2006 08:11:34 PM
 Elapsed Time: 23:41:34
 Bandwidth: Broad band
 Detector 1/2: RMS Peak
 Range: 30.0-110.0 dB

Detector 1:	Time	Frequency
Detector 2:	S F I	A
Statistic	Peak	C
	S	A

Instrument Serial Number: 2457146
 Microphone Serial Number: 2499615
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 02:23:40 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.7 dB
 Microphone: 2499615

Start date	Start time	LAeq	LASmax	LASmin
05/15/2006	08:30:00 PM	66.9	84.9	31.8
05/15/2006	09:00:00 PM	64.8	77.5	---
05/15/2006	09:30:00 PM	64.7	81	30.9
05/15/2006	10:00:00 PM	63.5	79.7	---
05/15/2006	10:30:00 PM	63.8	79.8	---
05/15/2006	11:00:00 PM	63.7	83	---
05/15/2006	11:30:00 PM	60.5	80.3	---
05/16/2006	12:00:00 AM	61.1	80.3	---
05/16/2006	12:30:00 AM	58.9	77.4	---
05/16/2006	01:00:00 AM	58	75.7	---
05/16/2006	01:30:00 AM	53.2	75.3	---
05/16/2006	02:00:00 AM	55.9	81.1	---
05/16/2006	02:30:00 AM	54.1	75.7	---
05/16/2006	03:00:00 AM	57.5	80.8	---
05/16/2006	03:30:00 AM	56.4	80.8	---
05/16/2006	04:00:00 AM	59.1	78.9	---
05/16/2006	04:30:00 AM	61.6	81.3	30.5
05/16/2006	05:00:00 AM	64.3	82.2	43.2
05/16/2006	05:30:00 AM	66.5	79.8	40.4
05/16/2006	06:00:00 AM	67.6	80.3	39
05/16/2006	06:30:00 AM	68.9	81.4	41.1
05/16/2006	07:00:00 AM	68.2	82.7	41.4
05/16/2006	07:30:00 AM	69.5	83.9	42.9
05/16/2006	08:00:00 AM	69.1	81.7	42
05/16/2006	08:30:00 AM	68.9	81.7	37.6

05/16/2006	09:00:00 AM	68.9	81.3	39.7
05/16/2006	09:30:00 AM	68.2	82.4	37.7
05/16/2006	10:00:00 AM	68.4	80.4	38.1
05/16/2006	10:30:00 AM	68.2	80.4	35.9
05/16/2006	11:00:00 AM	67.8	79.9	36.7
05/16/2006	11:30:00 AM	68.1	82.7	36
05/16/2006	12:00:00 PM	68.2	82.5	38.9
05/16/2006	12:30:00 PM	68.3	80	40.8
05/16/2006	01:00:00 PM	68.3	80.9	39.3
05/16/2006	01:30:00 PM	68.6	80.7	40.5
05/16/2006	02:00:00 PM	70.3	95.1	39.9
05/16/2006	02:30:00 PM	68.2	80.3	36.6
05/16/2006	03:00:00 PM	69.6	81	38.9
05/16/2006	03:30:00 PM	68.2	80.7	47.8
05/16/2006	04:00:00 PM	69.2	80.6	48.1
05/16/2006	04:30:00 PM	69	82.8	48.1
05/16/2006	05:00:00 PM	69.8	79.2	48.6
05/16/2006	05:30:00 PM	69.1	81.6	55.8
05/16/2006	06:00:00 PM	67.9	77	54.7
05/16/2006	06:30:00 PM	67.1	79.7	47.7
05/16/2006	07:00:00 PM	67.7	86.7	48.3
05/16/2006	07:30:00 PM	68.1	82	49.1
05/16/2006	08:00:00 PM	66.7	75.9	48.1

--- Indicates noise levels recorded below 30 to 110 dBA range of meter.

NML #19:**Parcels 223/224 - Undeveloped land on Dwyer Road**

Instrument: 2238
 Application: BZ7125 version 1.1
 Start Time: 05/13/2006 07:00:00 PM
 End Time: 05/14/2006 04:54:15 PM
 Elapsed Time: 0:30:00
 Bandwidth: Broad band
 Detector 1/2 RMS Peak
 Range: 30.0-110.0 dB

Detector 1:	Time	Frequency
Detector 2:	S F I	A
Statistic	Peak	C
	S	A

Instrument Serial Number: 2160380
 Microphone Serial Number: 2461956
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/11/2006 04:55:52 PM
 Calibration Level: 93.8 dB
 Sensitivity: -29.6 dB
 Microphone: 2461956

Start date	Start time	LAeq	LASmin	LASmax
05/13/2006	05:00:00 PM			
05/13/2006	05:30:00 PM			
05/13/2006	06:00:00 PM			
05/13/2006	06:30:00 PM			
05/13/2006	07:00:00 PM	55.5	41.7	81.7
05/13/2006	07:30:00 PM	58.7	41.6	85.9
05/13/2006	08:00:00 PM	51.9	42.6	72.3
05/13/2006	08:30:00 PM	54.2	50.3	75.3
05/13/2006	09:00:00 PM	55.3	46.9	79.3
05/13/2006	09:30:00 PM	55.2	44.2	81.1
05/13/2006	10:00:00 PM	53	43.6	76.4
05/13/2006	10:30:00 PM	51.4	41.7	76.6
05/13/2006	11:00:00 PM	48.2	41	74.8
05/13/2006	11:30:00 PM	45.5	41	66.8
05/13/2006	12:00:00 AM			
05/13/2006	12:30:00 AM			
05/13/2006	01:00:00 AM			
05/13/2006	01:30:00 AM			
05/13/2006	02:00:00 AM			
05/13/2006	02:30:00 AM			
05/13/2006	3:00:00 AM			
05/13/2006	03:30:00 AM			
05/13/2006	04:00:00 AM			
05/13/2006	04:30:00 AM			
05/13/2006	05:00:00 AM			

05/13/2006	05:30:00 AM			
05/13/2006	06:00:00 AM			
05/13/2006	06:30:00 AM			
05/13/2006	07:00:00 AM			
05/13/2006	07:30:00 AM			
05/13/2006	08:00:00 AM			
05/13/2006	08:30:00 AM			
05/13/2006	09:00:00 AM			
05/13/2006	09:30:00 AM			
05/13/2006	10:00:00 AM			
05/13/2006	10:30:00 AM			
05/13/2006	11:00:00 AM			
05/13/2006	11:30:00 AM			
05/13/2006	12:00:00 PM	55.7	39.9	83.3
05/13/2006	12:30:00 PM	55.1	40.3	75.1
05/13/2006	01:00:00 PM	54.1	41.2	75.7
05/13/2006	01:30:00 PM	52.2	40.7	73.2
05/13/2006	02:00:00 PM	50.6	40	74.3
05/13/2006	02:30:00 PM	57.4	39.6	81.4
05/13/2006	03:00:00 PM	49.5	40.3	69.8
05/13/2006	03:30:00 PM	51.6	39.7	71.1
05/13/2006	04:00:00 PM	51.8	39.4	79.4
05/13/2006	04:30:00 PM	58.1	39.9	78.8

Measurements discontinued due to weak power source.

NML #20:

Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/13/2006 05:00:00 PM
 End Time: 05/14/2006 05:43:59 PM
 Elapsed Time: 24:43:59
 Bandwidth: Broad band
 Detector 1/2 RMS Peak
 Range: 40.0-120.0 dB

Parcel 235 - Vacant residence/farmland on Route 31

Detector 1: Time S F I A
 Detector 2: Peak C
 Statistic S A

Instrument Serial Number: 2498697
 Microphone Serial Number: 2428645
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/09/2006 07:59:54 AM
 Calibration Level: 93.8 dB
 Sensitivity: -30.2 dB
 Microphone: 2428645

Start date	Start time	LAeq	LASmin	LASmax
05/13/2006	05:00:00 PM	63.6	45.5	76.2
05/13/2006	05:30:00 PM	62.5	41.9	77
05/13/2006	06:00:00 PM	63.6	45.6	78.5
05/13/2006	06:30:00 PM	63.2	45.5	75.9
05/13/2006	07:00:00 PM	63.8	43.5	85.3
05/13/2006	07:30:00 PM	63.4	44	82.9
05/13/2006	08:00:00 PM	61.6	40	74.9
05/13/2006	08:30:00 PM	60.8	42.3	75
05/13/2006	09:00:00 PM	61.2	41.9	80.7
05/13/2006	09:30:00 PM	59.5	40	71.8
05/13/2006	10:00:00 PM	59.2	41.3	74.2
05/13/2006	10:30:00 PM	59.6	---	74.6
05/13/2006	11:00:00 PM	60.1	---	77.6
05/13/2006	11:30:00 PM	58.2	---	76.9
05/14/2006	12:00:00 AM	58.8	---	78.3
05/14/2006	12:30:00 AM	54.8	---	71.1
05/14/2006	01:00:00 AM	56.9	---	75.8
05/14/2006	01:30:00 AM	55.9	---	78.8
05/14/2006	02:00:00 AM	50.3	---	68.5
05/14/2006	02:30:00 AM	50.5	---	69.6
05/14/2006	03:00:00 AM	52.8	---	70.5
05/14/2006	03:30:00 AM	52.2	---	70
05/14/2006	04:00:00 AM	54.4	---	77.5
05/14/2006	04:30:00 AM	53.8	---	76
05/14/2006	05:00:00 AM	54.6	---	72

05/14/2006	05:30:00 AM	55.1	---	73.7
05/14/2006	06:00:00 AM	56.4	---	76.2
05/14/2006	06:30:00 AM	55.6	---	73.2
05/14/2006	07:00:00 AM	57.1	---	74.2
05/14/2006	07:30:00 AM	58.7	---	73.7
05/14/2006	08:00:00 AM	60	---	76.7
05/14/2006	08:30:00 AM	62.1	---	76.6
05/14/2006	09:00:00 AM	60.7	---	74.6
05/14/2006	09:30:00 AM	61.6	---	74.3
05/14/2006	10:00:00 AM	61	---	76.1
05/14/2006	10:30:00 AM	62.5	---	77.6
05/14/2006	11:00:00 AM	63.3	42.7	78
05/14/2006	11:30:00 AM	63.1	42.6	76
05/14/2006	12:00:00 PM	62.4	41.5	77.8
05/14/2006	12:30:00 PM	62.9	42.2	74
05/14/2006	01:00:00 PM	63.7	42.3	75.8
05/14/2006	01:30:00 PM	63.1	40	77.6
05/14/2006	02:00:00 PM	63	42.1	78.7
05/14/2006	02:30:00 PM	62.8	42.5	78.8
05/14/2006	03:00:00 PM	63.4	45	76.8
05/14/2006	03:30:00 PM	63.2	46.8	76.1
05/14/2006	04:00:00 PM	63.1	44.8	73.3
05/14/2006	04:30:00 PM	63	44	76.9
05/14/2006	05:00:00 PM	63.2	42.1	79
05/14/2006	05:30:00 PM	64	43.4	78.9

--- Indicates noise levels recorded below 40 to 120 dBA range of meter.

NML #21:

Parcel 132 - Farmland on Peterboro Road
 Instrument: 2238
 Application: BZ7124 version 1.2
 Start Time: 05/15/2006 09:00:00 PM
 End Time: 05/16/2006 08:18:04 PM
 Elapsed Time: 23:18:04
 Bandwidth: Broad band
 Detector 1/2: RMS
 Range: Peak
 30.0-110.0 dB

	Time	Frequency
Detector 1:	S F I	A
Detector 2:	Peak	C
Statistic	S	A

Instrument Serial Number: 2343948
 Microphone Serial Number: 2304155
 Input: Microphone
 Windscreen Correction: On
 S. I. Correction: Frontal

Calibration Time: 05/14/2006 03:55:16 PM
 Calibration Level: 93.8 dB
 Sensitivity: -31.5 dB
 Microphone: 2304155

Start date	Start time	LAeq	LASmax	LASmin
05/15/2006	09:00:00 PM	51.2	62.5	45.6
05/15/2006	09:30:00 PM	51.5	61.7	50.1
05/15/2006	10:00:00 PM	51.3	63	50.2
05/15/2006	10:30:00 PM	51.1	59.8	50.2
05/15/2006	11:00:00 PM	51	52.7	50.2
05/15/2006	11:30:00 PM	51.3	60.6	50.2
05/16/2006	12:00:00 AM	51.1	62.2	50.2
05/16/2006	12:30:00 AM	50.9	51.7	50.1
05/16/2006	01:00:00 AM	50.9	52.1	50.2
05/16/2006	01:30:00 AM	50.9	51.7	50.2
05/16/2006	02:00:00 AM	51.1	61.3	50.2
05/16/2006	02:30:00 AM	51	62.2	50.1
05/16/2006	03:00:00 AM	50.9	51.9	50.2
05/16/2006	03:30:00 AM	51	59	50.1
05/16/2006	04:00:00 AM	50.9	54.3	50.1
05/16/2006	04:30:00 AM	50.9	53.6	50.1
05/16/2006	05:00:00 AM	55.9	78.1	50.3
05/16/2006	05:30:00 AM	55.5	71.2	50.5
05/16/2006	06:00:00 AM	53	64.9	50.4
05/16/2006	06:30:00 AM	55.4	71.7	50.4
05/16/2006	07:00:00 AM	53.8	64.9	50.4
05/16/2006	07:30:00 AM	54.9	75	50.5
05/16/2006	08:00:00 AM	54.1	69	50.4
05/16/2006	08:30:00 AM	55.1	78.6	50.3
05/16/2006	09:00:00 AM	54.5	75.4	50.4

05/16/2006	09:30:00 AM	53.7	72.1	50.4
05/16/2006	10:00:00 AM	54.3	69.6	50.4
05/16/2006	10:30:00 AM	54.7	64.7	50.4
05/16/2006	11:00:00 AM	57.8	82.7	49.9
05/16/2006	11:30:00 AM	52.5	73.5	50.5
05/16/2006	12:00:00 PM	53.9	63.4	50.6
05/16/2006	12:30:00 PM	52.7	63.5	50.6
05/16/2006	01:00:00 PM	52.8	70.7	50.5
05/16/2006	01:30:00 PM	52.7	61.1	50.6
05/16/2006	02:00:00 PM	52.5	64.6	50.6
05/16/2006	02:30:00 PM	53	73.6	50.6
05/16/2006	03:00:00 PM	52.4	62.9	50.6
05/16/2006	03:30:00 PM	54.1	70.7	50.6
05/16/2006	04:00:00 PM	53	63.2	50.6
05/16/2006	04:30:00 PM	52.8	64.9	50.6
05/16/2006	05:00:00 PM	53.3	69.4	50.6
05/16/2006	05:30:00 PM	53.4	65.1	50.6
05/16/2006	06:00:00 PM	58.9	85.8	50.8
05/16/2006	06:30:00 PM	52.3	61	50.5
05/16/2006	07:00:00 PM	53.1	66.7	50.5
05/16/2006	07:30:00 PM	55.9	75.2	50.4
05/16/2006	08:00:00 PM	53.8	66	50.4

NML #22:**Parcel 171 - Historical Dungey Site on East Hill Road**

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/16/2006 08:30:06 PM
 End Time: 05/17/2006 03:00:06 PM
 Elapsed Time: 18:00:00
 Bandwidth: Broad band
 Log Rate 1800 sec.
 Range: 20-100 dB

RMS	Time	Frequency		
Peak	Slow	A		
		C		
Start date	Start time	LAeq	LAS10	LAS90
05/16/2006	08:30:06 PM	50.5	49	28
05/16/2006	09:00:06 PM	49.1	47	25
05/16/2006	09:30:06 PM	47.4	39	23.5
05/16/2006	10:00:06 PM	43	32	23
05/16/2006	10:30:06 PM	35.8	28.5	22
05/16/2006	11:00:06 PM	44.1	38	22.5
05/16/2006	11:30:06 PM	39.5	29	23
05/17/2006	12:00:06 AM	41.4	28.5	23.5
05/17/2006	12:30:06 AM	39.2	29.5	23
05/17/2006	01:00:06 AM	38.1	30.5	24
05/17/2006	01:30:06 AM	40.5	26.5	22.5
05/17/2006	02:00:06 AM	36.5	26.5	22.5
05/17/2006	02:30:06 AM	24.2	25.5	22.5
05/17/2006	03:00:06 AM	23.8	25	22
05/17/2006	03:30:06 AM	40	25	21
05/17/2006	04:00:06 AM	38	29	22
05/17/2006	04:30:06 AM	48.1	51.5	33.5
05/17/2006	05:00:06 AM	49.2	51.5	39
05/17/2006	05:30:06 AM	51.9	53.5	38.5
05/17/2006	06:00:06 AM	54.4	56.5	40
05/17/2006	06:30:06 AM	52.6	54.5	43.5
05/17/2006	07:00:06 AM	52.9	54.5	39.5
05/17/2006	07:30:06 AM	53.8	56	42.5
05/17/2006	08:00:06 AM	55.6	57	39
05/17/2006	08:30:06 AM	56.8	56	39.5
05/17/2006	09:00:06 AM	54.5	56.5	40.5
05/17/2006	09:30:06 AM	54.3	56	41.5
05/17/2006	10:00:06 AM	54.5	55	40.5
05/17/2006	10:30:06 AM	50.9	51	36
05/17/2006	11:00:06 AM	53	55	39
05/17/2006	11:30:06 AM	51.7	54	40
05/17/2006	12:00:06 PM	53.2	56	39.5
05/17/2006	12:30:06 PM	52.2	53	38.5
05/17/2006	01:00:06 PM	54.7	58.5	46
05/17/2006	01:30:06 PM	53.8	55	39.5
05/17/2006	02:00:06 PM	53.7	54	40
05/17/2006	02:30:06 PM	54.1	53.5	37

Measurement discontinued due to heavy rain.

NML #23:**Parcel 310 - Vacant residence/farmland on Morris Road**

Instrument: SLM Type 2236
 Application: Logged
 Start Time: 05/15/2006 09:00:06 PM
 End Time: 05/16/2006 07:30:06 PM
 Elapsed Time: 22:00:00
 Bandwidth: Broad band
 Log Rate: 1800 sec.
 Range: 20-100 dB

RMS Peak	Time	Frequency			
	Slow	A	C		
	Start date	Start time	LAeq	LAS10	LAS90
	05/15/2006	09:00:06 PM	58	59	31
	05/15/2006	09:30:06 PM	43.3	37	31.5
	05/15/2006	10:00:06 PM	46.2	38	32
	05/15/2006	10:30:06 PM	47.6	42.5	32.5
	05/15/2006	11:00:06 PM	37	39	34.5
	05/15/2006	11:30:06 PM	36.6	39	32.5
	05/16/2006	12:00:06 AM	32.5	34	30.5
	05/16/2006	12:30:06 AM	31.5	32.5	29.5
	05/16/2006	01:00:06 AM	31.9	33.5	29.5
	05/16/2006	01:30:06 AM	30.7	32	29
	05/16/2006	02:00:06 AM	32.7	33.5	29.5
	05/16/2006	02:30:06 AM	31.5	32.5	29.5
	05/16/2006	03:00:06 AM	35	37.5	31.5
	05/16/2006	03:30:06 AM	31.6	33.5	29
	05/16/2006	04:00:06 AM	31.3	33	28
	05/16/2006	04:30:06 AM	32.6	36	28
	05/16/2006	05:00:06 AM	52.1	49	40
	05/16/2006	05:30:06 AM	52.5	49.5	39.5
	05/16/2006	06:00:06 AM	50.2	48	37.5
	05/16/2006	06:30:06 AM	45.9	49.5	37.5
	05/16/2006	07:00:06 AM	52.7	48.5	37.5
	05/16/2006	07:30:06 AM	56.3	46.5	36
	05/16/2006	08:00:06 AM	47.1	46.5	36
	05/16/2006	08:30:06 AM	50.3	48.5	36.5
	05/16/2006	09:00:06 AM	50	48	37
	05/16/2006	09:30:06 AM	55.5	49.5	37
	05/16/2006	10:00:06 AM	49	47	36.5
	05/16/2006	10:30:06 AM	51.3	48	35.5
	05/16/2006	11:00:06 AM	50.1	48	36
	05/16/2006	11:30:06 AM	51.5	47	35.5
	05/16/2006	12:00:06 PM	48.9	47	34.5
	05/16/2006	12:30:06 PM	44.1	44.5	34.5
	05/16/2006	01:00:06 PM	52.8	47	34.5
	05/16/2006	01:30:06 PM	45.3	46.5	35.5
	05/16/2006	02:00:06 PM	49.7	47	35
	05/16/2006	02:30:06 PM	49	47	35.5
	05/16/2006	03:00:06 PM	56.7	50	35

05/16/2006	03:30:06 PM	52.8	46.5	37
05/16/2006	04:00:06 PM	48	44	36.5
05/16/2006	04:30:06 PM	53.5	46.5	35
05/16/2006	05:00:06 PM	52.7	46.5	34
05/16/2006	05:30:06 PM	51.8	46	36.5
05/16/2006	06:00:06 PM	54.6	46.5	36
05/16/2006	06:30:06 PM	49.6	45.5	35.5
05/16/2006	07:00:06 PM	51.5	49.5	36